

2026 CATALOG

LED LINEAR LIGHT LED MAGNETIC LIGHT


江门市澳成科技照明有限公司
JIANG MEN AOOCEN TECHNOLOGY LIGHTING CO.,LTD.

网站/Web: www.aocen2005.com


电话/Tel: 0750-3755006

地址: 广东省江门市蓬江区荷塘镇西桥路17号

Address: No.17, Xiqiao Road, Hetang Town, Pengjiang Distric,
Jiangmen City, Guangdong Province, China



AOC-XTD3358G




•CCT




Specifications


Model	Voltage	Power	Light source	Color	CRI	Efficiency	Angle	Lifetime	Frame	Product Size
AOC-XTD3358G	AC220-240V	60W	SMD 2835 144pcs	3000K 4000K 6500K	Ra>90	100Lm/W	120°	30000H	Sand black Sand white	1210*33*58MM



AOC-XTD3665G-3C



Part



•CCT




Specifications


Model	Voltage	Power	Light source	Color	CRI	Efficiency	Angle	Lifetime	Frame	Product Size
AOC-XTD3665G-3C	AC220-240V	40W	SMD 3030 45pcs	3000K 4000K 6500K	Ra>90	85Lm/W	38°	30000H	Sand black Sand white	1210*36*65MM



AOC-XTD5568F



Part




•CCT



Specifications


Model	Voltage	Power	Light source	Color	CRI	Efficiency	Angle	Lifetime	Frame	Product Size
AOC-XTD5568F DOB	AC220-240V	50W	SMD 2835 160pcs	3000K 4000K 6500K	Ra>90	110Lm/W	120°	30000H	Sand black Sand white	1210*55*68MM
AOC-XTD5568F-3C Quick connect	AC220-240V	40W	SMD 2835 308pcs	3000K 4000K 6500K	Ra>90	110Lm/W	120°	30000H	Sand black Sand white	1210*55*68MM




快速对接办公线条灯

**简单快速拼接
稳固不漏光**


**Easy and quick to connect
Solid and light-tight**




1. 拆掉堵头。
Take off the lamp cap.





2. 插入对接头并连接两条线条灯。
Insert the connector, and connect the two linear lamps.




3. 拧紧螺丝。
Tighten the screws.




4. 拼接完成。
Connection completed.




AOC-XTD5568F-3C-L




AOC-XTD5568F-3C-120




AOC-XTD5568F-3C-C



AOC-XTD5568F-3C-T




AOC-XTD5568F-3C-Y



AOC-XTD5568F-3C-X

Model	Voltage	Power	Light source	Color	CRI	Efficiency	Angle	Lifetime	Frame	Product Size
AOC-XTD5568F-3C-L Quick connect	AC220-240V	15W	SMD 2835 96pcs	3000K 4000K 6500K	Ra>90	90Lm/W	120°	30000H	Sand black Sand white	180°180°68MM
AOC-XTD5568F-3C-120 Quick connect	AC220-240V	15W	SMD 2835 96pcs	3000K 4000K 6500K	Ra>90	90Lm/W	120°	30000H	Sand black Sand white	285°135°68MM
AOC-XTD5568F-3C-C Quick connect	AC220-240V	17W	SMD 2835 120pcs	3000K 4000K 6500K	Ra>90	90Lm/W	120°	30000H	Sand black Sand white	250°250°68MM
AOC-XTD5568F-3C-T Quick connect	AC220-240V	24W	SMD 2835 144pcs	3000K 4000K 6500K	Ra>90	90Lm/W	120°	30000H	Sand black Sand white	300°180°68MM
AOC-XTD5568F-3C-Y Quick connect	AC220-240V	24W	SMD 2835 144pcs	3000K 4000K 6500K	Ra>90	90Lm/W	120°	30000H	Sand black Sand white	285°250°68MM
AOC-XTD5568F-3C-X Quick connect	AC220-240V	32W	SMD 2835 192pcs	3000K 4000K 6500K	Ra>90	90Lm/W	120°	30000H	Sand black Sand white	250°250°68MM




300 mm



480 mm

AOC-XTD5568HF-60


555 mm



555 mm

AOC-XTD5568HF-L


480 mm



555 mm

AOC-XTD5568HF-Y


555 mm



1058 mm

AOC-XTD5568HF-T

1058 mm



1058 mm

AOC-XTD5568HF-X

Model	Voltage	Power	Light source	Color	CRI	Efficiency	Angle	Lifetime	Frame	Product Size
AOC-XTD5568HF-60 Quick connect	AC220-240V	40W	SMD 2835	3000K 4000K 6500K	Ra>90	90Lm/W	120°	30000H	Sand black Sand white	480*300*68MM
AOC-XTD5568HF-L Quick connect	AC220-240V	50W	SMD 2835	3000K 4000K 6500K	Ra>90	90Lm/W	120°	30000H	Sand black Sand white	555*555*68MM
AOC-XTD5568HF-Y Quick connect	AC220-240V	60W	SMD 2835	3000K 4000K 6500K	Ra>90	90Lm/W	120°	30000H	Sand black Sand white	555*480*68MM
AOC-XTD5568HF-T Quick connect	AC220-240V	120W	SMD 2835	3000K 4000K 6500K	Ra>90	90Lm/W	120°	30000H	Sand black Sand white	1058*555*68MM
AOC-XTD5568HF-X Quick connect	AC220-240V	170W	SMD 2835	3000K 4000K 6500K	Ra>90	90Lm/W	120°	30000H	Sand black Sand white	1058*1058*68MM



Specifications

Model	Voltage	Power	Light source	Color	CRI	Efficiency	Angle	Lifetime	Frame	Product Size
AOC-CXFG-2012	DC48V	12W	SMD 2835 90pcs	3000K 4000K 6500K	95	75lm/w	120°	30000H	Sand black Sand white	304*22*44MM
AOC-CXFG-2024	DC48V	24W	SMD 2835 180pcs	3000K 4000K 6500K	95	75lm/w	120°	30000H	Sand black Sand white	602*22*44MM
AOC-CXFG-2036	DC48V	36W	SMD 2835 270pcs	3000K 4000K 6500K	95	75lm/w	120°	30000H	Sand black Sand white	902*22*44MM
AOC-CXFG-2024-L	DC48V	24W	SMD 2835 180pcs	3000K 4000K 6500K	95	75lm/w	120°	30000H	Sand black Sand white	318*298*44MM
AOC-CXGS-2012	DC48V	12W	COB 12pcs	3000K 4000K 6500K	95	75lm/w	38°	30000H	Sand black Sand white	225*22*44MM
AOC-CXGS-2018	DC48V	18W	COB 18pcs	3000K 4000K 6500K	95	75lm/w	38°	30000H	Sand black Sand white	333*22*44MM
AOC-CXGS-2030	DC48V	30W	COB 30pcs	3000K 4000K 6500K	95	75lm/w	38°	30000H	Sand black Sand white	547*22*44MM
AOC-CXGS-ZD-2012	DC48V	12W	COB 12pcs	3000K 4000K 6500K	95	75lm/w	38°	30000H	Sand black Sand white	223*22*105MM
AOC-CXGS-ZD-2018	DC48V	18W	COB 18pcs	3000K 4000K 6500K	95	75lm/w	38°	30000H	Sand black Sand white	332*22*105MM
AOC-CXSD-2012	DC48V	12W	COB 1pcs	3000K 4000K 6500K	95	75lm/w	24°	30000H	Sand black Sand white	49*100MM
AOC-CXSD-2020	DC48V	20W	COB 1pcs	3000K 4000K 6500K	95	75lm/w	24°	30000H	Sand black Sand white	64*120MM